## BioOptimal™

Vers 2.0	sion	Revision Date: 25.12.2024		S Number: Q35068EN-AU	Date of last issue: - Date of first issue: 15.12.2015
SEC	TION 1			BioOntimal™ (Cr	ontaining 17 wt% Ethanol as preservative)
	Tiouuci	hame	•		
	Manufa	acturer or supplier's o	letai	ls	
	Compai	ny	:	Asahi Kasei Med Bioprocess Divis	
	Address	5	:	1-1-2 Yurakucho Chiyoda-ku, Toky	yo Japan 100-0006
	Telepho	ne	:	+81-3-6699-3782	
	Emerge	ency telephone number	:	+81-3-6699-3782	
	E-mail a	address	:	bioprocessjp-ml@	aml.asahi-kasei.co.jp
	Recom	mended use of the cl	nem	ical and restrictio	ons on use
	Recom	mended use	:	Biocides Preservatives for	products during storage
	Restrict	tions on use	:	Not applicable	

### SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 3
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H226 Flammable liquid and vapour.
Precautionary statements	:	Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P241 Use explosion-proof electrical/ ventilating/ lighting equip- ment.

### BioOptimal™

VersionRevision Date:SDS Number:Date of last issue: -2.025.12.2024TAQ35068EN-AUDate of first issue: 15.12.2015

P242 Use non-sparking tools.P243 Take action to prevent static discharges.P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Vapours may form explosive mixture with air.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Mixture

Substance / Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	>= 10 -< 30

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Remove contaminated clothing and shoes.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	None known.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.

## BioOptimal™

Vers 2.0	ion	Revision Date: 25.12.2024		0S Number: Q35068EN-AU	Date of last issue: - Date of first issue: 15.12.2015
	Notes to physician		:	Treat symptomati	cally and supportively.
SEC	TION 5	. FIREFIGHTING MEA	SUI	RES	
	Suitable extinguishing media		:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	Unsuitable extinguishing media		:	High volume wate	r jet
	Specific hazards during fire- fighting		:	fire. Flash back possib Vapours may form	water stream as it may scatter and spread le over considerable distance. a explosive mixtures with air. bustion products may be a hazard to health.
	Hazardo ucts	ous combustion prod-	:	Carbon oxides	
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ed containers from fire area if it is safe to do
	Special for firefi	protective equipment ghters	:	Wear self-contain essary. Use personal prot	ed breathing apparatus for firefighting if nec- ective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Remove all sources of ignition. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

## BioOptimal™

Versio 2.0		Revision Date: 25.12.2024		S Number: Q35068EN-AU	Date of last issue: - Date of first issue: 15.12.2015
M	1ethods	and materials for nent and cleaning up	:	Non-sparking tool Soak up with inert Suppress (knock spray jet. For large spills, pr ment to keep mat be pumped, store Clean up remainin bent. Local or national in posal of this mate employed in the c mine which regula	s should be used. absorbent material. down) gases/vapours/mists with a water ovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. g materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter- tions are applicable.
					5 of this SDS provide information regarding tional requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures :	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation :	If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equipment.
Advice on safe handling :	<ul> <li>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment</li> <li>Non-sparking tools should be used.</li> <li>Keep container tightly closed.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Take precautionary measures against static discharges.</li> <li>Take care to prevent spills, waste and minimize release to the environment.</li> </ul>
Hygiene measures :	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
Conditions for safe storage :	Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.

## BioOptimal™

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	25.12.2024	TAQ35068EN-AU	Date of first issue: 15.12.2015
Mater	ials to avoid	Self-reactive sul Organic peroxide Oxidizing agents Flammable gase Pyrophoric liquid Pyrophoric solid	s es ds ls ostances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Ethanol	64-17-5	TWA	1,000 ppm	AU OEL
			1,880 mg/m3	
		STEL	1,000 ppm	ACGIH

Engineering measures	:	Minimize workplace exposure concentrations. If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip- ment.

### Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type	:	Organic vapour type
Hand protection Material	:	Natural Rubber
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufactur- er. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

## BioOptimal™

Version 2.0	Revision Date: 25.12.2024	SDS Number: TAQ35068EN-AU	Date of last issue: - Date of first issue: 15.12.2015
Eye pro	otection	: Wear the followi Safety glasses	ng personal protective equipment:
Skin and body protection		resistance data potential. Wear the followi If assessment d atmospheres or protective clothi Skin contact mu	te protective clothing based on chemical and an assessment of the local exposure ng personal protective equipment: emonstrates that there is a risk of explosive flash fires, use flame retardant antistatic ng. st be avoided by using impervious protective aprons, boots, etc).

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance		liquid
Colour	:	clear
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point		No data available
Initial boiling point and boiling range		No data available
Flash point	:	40 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

## BioOptimal™

Vers 2.0	sion	Revision Date: 25.12.2024		S Number: Q35068EN-AU	Date of last issue: - Date of first issue: 15.12.2015
	Vapour	pressure	:	No data available	
	Relative	vapour density	:	No data available	
	Relative	density	:	No data available	
	Density		:	No data available	
	Solubility Wate	y(ies) er solubility	:	No data available	
	Partition octanol/	coefficient: n- water	:	Not applicable	
	Auto-ign	ition temperature	:	does not ignite	
	Decomp	osition temperature	:	The substance or	r mixture is not classified self-reactive.
	Viscosit Visco	y osity, kinematic	:	No data available	
	Explosiv	e properties	:	Not explosive	
	Oxidizin	g properties	:	The substance of	r mixture is not classified as oxidizing.
	Particle Particle	characteristics size	:	Not applicable	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation
		Skin contact

### BioOptimal™

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	25.12.2024	TAQ35068EN-AU	Date of first issue: 15.12.2015

Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

#### Ethanol:

Acute oral toxicity	:	LD50 (Rat): 10,470 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat, male): 116.9 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 15,800 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Ethanol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Ethanol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Ethanol:

Test Type

: Mouse ear swelling test (MEST)

## BioOptimal™

ersion )	Revision Date: 25.12.2024	SDS Number: TAQ35068EN-AU	Date of last issue: - Date of first issue: 15.12.2015
Exposure routes Species Result		: Skin contact : Mouse : negative	
Chron	nic toxicity		
	cell mutagenicity assified based on avai	lable information.	
<u>Comp</u>	onents:		
Ethanol: Genotoxicity in vitro :			eterial reverse mutation assay (AMES) 9 Test Guideline 471 e
			itro mammalian cell gene mutation test 9 Test Guideline 476 e
		Test Type: Chr Result: negativ	omosome aberration test in vitro
Genot	oxicity in vivo	<ul> <li>Test Type: Mammalian erythrocyte micronucleus test (in v cytogenetic assay)</li> <li>Species: Rat Application Route: Ingestion Result: negative</li> </ul>	
	n <b>ogenicity</b> assified based on avai	lable information.	

### Reproductive toxicity

Not classified based on available information.

### Components:

### Ethanol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

## BioOptimal™

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	25.12.2024	TAQ35068EN-AU	Date of first issue: 15.12.2015

### Repeated dose toxicity

### **Components:**

#### Ethanol:

Species	:	Rat
NOAEL	:	1,730 mg/kg
LOAEL	:	3,200 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

### Aspiration toxicity

Not classified based on available information.

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### **Components:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h
		EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l Exposure time: 72 h
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l Exposure time: 100 d
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to microorganisms	:	EC50 (Protozoa): 5,800 mg/l Exposure time: 4 h
Persistence and degradabil	ity	
Components:		
<b>Ethanol:</b> Biodegradability	:	Result: Readily biodegradable.

## BioOptimal™

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	25.12.2024	TAQ35068EN-AU	Date of first issue: 15.12.2015

Biodegradation: 84 % Exposure time: 20 d

### **Bioaccumulative potential**

#### **Components:**

#### Ethanol:

Partition coefficient: n- : log Pow: -0.35 octanol/water

### Mobility in soil

No data available

### Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

UNRTDG		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no
IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable

## BioOptimal™

Version 2.0	Revision Date: 25.12.2024		DS Number: \Q35068EN-AU	Date of last issue: - Date of first issue: 15.12.2015
Sub	sidiary risk	:	Not applicable	
Pac	king group	:	Not applicable	
Labe	els	:	Not applicable	
Pac airci	king instruction (cargo raft)	:	Not applicable	
Pac	king instruction (passen-	:	Not applicable	

# ger aircraft) IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

ADG		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

### Special precautions for user

Not applicable

### SECTION 15. REGULATORY INFORMATION

Therapeutic Goods (Poisons	: No poison s	chedule number allocated (Please use the original
Standard) Instrument	publication <sup>-</sup>	o check for specific uses, specific conditions or
	threshold lin	nits that might apply for this chemical)
Prohibition/Licensing Requirements		: There is no applicable prohibition,
		authorisation and restricted use
		requirements, including for carcino-
		gens referred to in Schedule 10 of
		the model WHS Act and Regula-
		tions.

: All ingredients listed or exempt.

### BioOptimal™

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	25.12.2024	TAQ35068EN-AU	Date of first issue: 15.12.2015

### SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information		
Revision Date	:	25.12.2024
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Date format	:	dd.mm.yyyy
Full text of other abbreviatio	ons	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.
ACGIH / STEL AU OEL / TWA	:	Short-term exposure limit
AU UEL / IWA	•	Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### BioOptimal™

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	25.12.2024	TAQ35068EN-AU	Date of first issue: 15.12.2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN